# This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

#### WHAT IS CLAIMED IS:

1. A silver halide color photographic lightsensitive material comprising a support and, superimposed thereon, at least one blue-sensitive layer, at least one green-sensitive layer, at least one red-sensitive layer and at least one non-lightsensitive layer, wherein at least one fluorinated surfactant represented by the following general formula (A) or general formula (B) is contained and wherein a spectral sensitivity ratio at 370 nm as compared to that at 420 nm, which imparts the same density as that of the sensitivity at 420 nm in the spectral sensitivity distribution of the blue-sensitive layer, is 70% or less.

### General formula (A)

5

10

15

20

In the general formula (A), each of R<sup>B3</sup>, R<sup>B4</sup> and R<sup>B5</sup> independently represents a hydrogen atom or a substituent. Each of A and B independently represents a fluorine atom or a hydrogen atom. Each of n<sup>B3</sup> and n<sup>B4</sup> is independently an integer of 4 to 8. Each of L<sup>B1</sup> and L<sup>B2</sup> independently represents a substituted or unsubstituted alkylene group, a substituted or

unsubstituted alkyleneoxy group, or a bivalent connecting group composed of a substituted or unsubstituted alkylene group combined with a substituted or unsubstituted alkyleneoxy group.  $m^{\rm B}$  is 0 or 1. M represents a cation.

General formula (B)

5

In the general formula (B), RCl represents a 10 substituted or unsubstituted alkyl group excluding a fluorinated alkyl group. RCF represents a perfluoroalkylene group. A represents a hydrogen atom or a fluorine atom. LC1 represents a substituted or ~unsubstituted alkylene group, a substituted or 15 unsubstituted alkyleneoxy group, or a bivalent connecting group composed of a substituted or unsubstituted alkylene group combined with a substituted or unsubstituted alkyleneoxy group. One of YCl and YC2 represents a hydrogen atom while the other represents -LC2-SO3M in which M represents a cation and 20 LC2 represents a single bond or a substituted or unsubstituted alkylene group.

A silver halide color photographic
 lightsensitive material comprising a support and,

superimposed thereon, at least one blue-sensitive layer, at least one green-sensitive layer, at least one red-sensitive layer and at least one non-lightsensitive layer, wherein at least one fluorinated surfactant represented by the following general formula (A) or general formula (B) is contained and wherein a spectral sensitivity ratio at 370 nm as compared to that at 420 nm, which imparts the same density as that of the sensitivity at 420 nm in the spectral sensitivity distribution of the blue-sensitive layer, is 60% or less.

General formula (A)

5

10

15

20

In the general formula (A), each of R<sup>B3</sup>, R<sup>B4</sup> and R<sup>B5</sup> independently represents a hydrogen atom or a substituent. Each of A and B independently represents a fluorine atom or a hydrogen atom. Each of n<sup>B3</sup> and n<sup>B4</sup> is independently an integer of 4 to 8. Each of L<sup>B1</sup> and L<sup>B2</sup> independently represents a substituted or unsubstituted alkylene group, a substituted or unsubstituted alkyleneoxy group, or a bivalent connecting group composed of a substituted or unsubstituted alkylene group combined with a

substituted or unsubstituted alkyleneoxy group.  $m^B$  is 0 or 1. M represents a cation.

General formula (B)

5

10

15

In the general formula (B), R<sup>C1</sup> represents a substituted or unsubstituted alkyl group excluding a fluorinated alkyl group. R<sup>CF</sup> represents a perfluoroalkylene group. A represents a hydrogen atom or a fluorine atom. L<sup>C1</sup> represents a substituted or unsubstituted alkylene group, a substituted or unsubstituted alkyleneoxy group, or a bivalent connecting group composed of a substituted or unsubstituted alkylene group combined with a substituted or unsubstituted alkyleneoxy group. One of y<sup>C1</sup> and y<sup>C2</sup> represents a hydrogen atom while the other represents -L<sup>C2</sup>-SO<sub>3</sub>M in which M represents a cation and L<sup>C2</sup> represents a single bond or a substituted or unsubstituted alkylene group.

20

3. A silver halide color photographic lightsensitive material comprising a support and, superimposed thereon, at least one blue-sensitive layer, at least one green-sensitive layer, at least one red-sensitive layer and at least one non-lightsensitive

layer, wherein at least one fluorinated surfactant represented by the following general formula (A) or general formula (B) is contained and wherein a spectral sensitivity ratio at 370 nm as compared to that at 420 nm, which imparts the same density as that of the sensitivity at 420 nm in the spectral sensitivity distribution of the blue-sensitive layer, is 50% or less.

General formula (A)

10

15

20

5

In the general formula (A), each of R<sup>B3</sup>, R<sup>B4</sup> and R<sup>B5</sup> independently represents a hydrogen atom or a substituent. Each of A and B independently represents a fluorine atom or a hydrogen atom. Each of n<sup>B3</sup> and n<sup>B4</sup> is independently an integer of 4 to 8. Each of L<sup>B1</sup> and L<sup>B2</sup> independently represents a substituted or unsubstituted alkylene group, a substituted or unsubstituted alkyleneoxy group, or a bivalent connecting group composed of a substituted or unsubstituted alkylene group combined with a substituted or unsubstituted alkyleneoxy group. m<sup>B</sup> is 0 or 1. M represents a cation.

General formula (B)

In the general formula (B), RCl represents a substituted or unsubstituted alkyl group excluding a fluorinated alkyl group.  $R^{\mbox{\footnotesize CF}}$  represents a 5 perfluoroalkylene group. A represents a hydrogen atom or a fluorine atom. LCl represents a substituted or unsubstituted alkylene group, a substituted or unsubstituted alkyleneoxy group, or a bivalent connecting group composed of a substituted or 10 unsubstituted alkylene group combined with a substituted or unsubstituted alkyleneoxy group. YCl and YC2 represents a hydrogen atom while the other  $^{4}$ -represents -LC2-SO<sub>3</sub>M in which M represents a cation and LC2 represents a single bond or a substituted or 15 unsubstituted alkylene group.

- 4. The silver halide color photographic lightsensitive material according to claim 3, wherein the spectral sensitivity ratio is 30% or less.
- 5. The silver halide cotor photographic lightsensitive material according to claim 1, wherein the compound represented by the general formula (A) is contained as said at least one fluorinated surfactant.
  - 6. The silver halide color photographic

20

lightsensitive material according to claim 2, wherein the compound represented by the general formula (A) is contained as said at least one fluorinated surfactant.

7. The silver halide color photographic lightsensitive material according to claim 3, wherein the compound represented by the general formula (A) is contained as said at least one fluorinated surfactant.

5

10

- 8. The silver halide color photographic lightsensitive material according to claim 1, wherein it is in the form of a roll film.
- 9. The silver halide color photographic lightsensitive material according to claim 2, wherein it is in the form of a roll film.
- 10. The silver halide color photographic
  lightsensitive material according to claim 3, wherein
  it is in the form of a roll film.